

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

DATE MAILED: 11/26/2004

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|----------------------------------------------|-----------------|------------------------|---------------------|------------------|
| 10/645,933 | 08/21/2003 | Kristopher W. Gerulski | J-3047A1 | 8261 |
| 28165 | 7590 11/26/2004 | EXAMINER | | INER |
| S.C. JOHNSON & SON, INC. 1525 HOWE STREET | | | GEHMAN, BRYON P | |
| | T 53403-2236 | | ART UNIT | PAPER NUMBER |
| | | | 3728 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------------------------------|--|--|--|
| | 10/645,933 | GERULSKI ET AL. | | | |
| Office Action Summary | Examiner | Art Unit | | | |
| | Bryon P. Gehman | 3728 | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | |
| Status | | | | | |
| Responsive to communication(s) filed on <u>27 September 2004</u>. This action is FINAL. This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | |
| 4) Claim(s) 19-25 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 19-25 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. | | | | | |
| Application Papers | | | | | |
| 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date | Paper No(s)/Mail Da | (PTO-413) ate atent Application (PTO-152) | | | |

Application/Control Number: 10/645,933 Page 2

Art Unit: 3728

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

2. Claims 19-25 are finally rejected under 35 U.S.C. 102(e) as being anticipated by Shiffler et al. (Figures 4-7)(6,564,942). Shiffler et al. discloses a method of assembling a wound film dispenser, including folding a blank into a tube (Figure 5), inserting a roll of wound film (Figures 5 and 6), folding false walls (98 and 102) into the tube (Figure 7) and folding a flap (100 or 104) against each of the false walls, the false walls including wedge-shaped braces (each strut 102 on either side of apex 142, see column 5, lines 20-31).

As to claim 20, plural flaps (100 and 104) are disclosed and folded.

As to claim 21, each brace is folded relative to one of the false walls.

As to claims 22 and 23, each wedge-shaped brace (half of 102) is folded relative to a back edge (opposite 104) and a top edge (116) of the false wall.

As to claims 24 and 25, a tear strip (68) is adhered to the front surface of the blank and attached along a score line (66) and adhered by discrete areas (69) of adhesive.

Application/Control Number: 10/645,933 Page 3

Art Unit: 3728

3. Applicant's arguments filed September 27, 2004 have been fully considered but they are not persuasive. The addition of "wedge-shaped braces" fails to distinguish from the struts 102 of the earlier patent to Shiffler et al., where the wedge-shaped recesses define wedge-shaped portions of each strut.

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryon P. Gehman whose telephone number is (571) 272-4555. The examiner can normally be reached on Monday through Wednesday from 5:30am to 6:00pm.

Art Unit: 3728

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu, can be reached on (571) 272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-4555.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bryon P. Gehman Primary Examiner Art Unit 3728

BPG

. Bujul. Sel